

(St) - (Ph D) - (Ph D) - (Ph D) \*

azadeh\_sadeghi87@ yahoo.com:

// : // :




(p= / )

(p< / )  
(p= / )

(p< / )

/ :



( )

(.)

(.)


( )

(.)

( )

(.)

(.)



.( )

(Casper)

.( )

.( )

.( )

(Watson)

(Mental health promotion)

.( ) ( )

(Mental health)

.( )

.( )

.( )

(Villeneuve) :

.( )


( )

( )

.( )

(Wright)

( )



$Z_{1-\beta} = /$      $Z_{1-\alpha/2} = /$     % =  $\alpha$

$$n = \frac{2 \left( z_{1-\frac{\alpha}{2}} + z_{1-\beta} \right)^2 P(1-P)}{d^2} \cdot p = /$$

) BASNEF

(Validity)  
 (Content validity)

(Reliability)  
 (Test-retest)

(r= / ) (α= / )

(% / ) (% / ) ( )  
)

(% / ) (% / ) (

% / % /

% / % / SPSS

)  
) (

.( % / . (

% / ) )

.(% /

(...

( $\chi^2 = /$  )

...

(p= / )

Independent t-test

p< / )

.( $\chi^2 = /$

.(p= / )

(p= / )

.(p= / )

.(p< / )

Independent t-test

(p> / )

(P= / )

.(p< / )

.(p< / )

Independent t-test

.(P= / )

.(P = / )

:

P-value					BASNEF
/	/				
/	/		/	/	
/	/		/	/	
/	/		/	/	

:

	P-value					BASNEF
+	/	/				
+	/	/		/	/	
	/	/		/	/	
+	/	/		/	/	

/ / /

. ( )  
(Casper)

. ( )

(Novalić . Catipović)

. ( )

. ( )

. ( )

)

HLC

(

(P= / )

(

)

( ) (P = / )

. ( ) (P= / )

Wahl OF Wood AL

.( )

.( )

( ) Kimber  
... ( ) ( )

1. Arillo Crespo A, Aguinaga Ontoso I, Guillen Grima F. (Prevalence of Women of an Urban Area). Aten Primaria 1998; 21(5):265-9.

2. Flisher AJ, Chalton DO. Urbanisation and Adolescent Risk Behaviour. S Afr Med J 2001;91(3):243-9.

3. WHO .The World Health Report 2001. Mental Health: New Understanding, New Hope. Geneva; WHO, 2001. [Text in Persian]

4. Kaveh MH, Shojaezadeh D, Shamohmmadi D, Eftekhar Ardebili H, Rahimi A, Bolhari J. Organizing Mental Health Services in Schools: Assessing Teachers' Roles. Journal of School of

- 
- Public Health and Institute of Public Health Research 2002; 1(4): 1-14. [Text in Persian]
5. Espeland K. Promoting Mental Wellness in Children and Adolescents through Positive Coping Mechanisms. *J Sch Nurs* 1998; 14(2):22-5.
6. WHO. Report of World Health Organization-2005. Mental Health Policy And Service Guidance Package: Child And Adolescent Mental Health Policies and Plans: Geneva; WHO, 2005: 85.
7. Anisi J, Salimi H, Mirzamani M, Reisi F, Niknam M. A Survey Study on Behavioral Problems in Adolescence. *Behavioral Science Journal* 2007; 1(2): 164-170. [Text in Persian]
8. Sistani pour N. Adolescents' Health Education. Office of the Eastern Mediterranean World Health Organization, International Relations of the Parents and Coaches: First Edition. Tehran; the Association Publications Parents and Coaches, 1998. 12-23. [Text in Persian]
9. Hölling H, Kurth BM, Rothenberger A, Becker A, Schlack R. Assessing Psychopathological Problems Of Children and Adolescents From 3 To 17 Years In A Nationwide Representative Sample: Results Of The German Health Interview And Examination Survey For Children And Adolescents (Kiggs). *Eur Child Adolesc Psychiatry* 2008; 17 (Suppl 1): 34-41.
10. Herrman H, Saxena S, Moodie R. 2005. Promoting Mental Health (CONCEPTS, EMERGING EVIDENCE, PRACTICE). A Report Of The World Health Organization, Department Of Mental Health And Substance Abuse In Collaboration With The Victorian Health Promotion Foundation And The University of Melbourne. Geneva, WHO, 2005.
11. Lesesne C, Kennedy C. Starting Early: Promoting The Mental Health Of Women And Girls Throughout The Life Span. *J Womens Health* 2005; 14(9):754-63.
12. Wang X, Matsuda N, Ma H, Shinfuku N. Comparative Study of Quality of Life between the Chinese and Japanese Adolescent Populations. *Psychiatry Clin Neurosci* 2000; 54(2):147-52.
13. Heayatrad M, Farhadi S, Rajabzade D. Adolescents Health. Tehran; Ebadifar Publishing, 2005: 2-16. [Text in Persian]
14. Villeneuve C, Bérubé H, Ouellet R, Delorme A. Prevention Concerning Mental Health: The Adolescent's Perspective. *Can J Psychiatry* 1996; 41(6):392-9.
15. Wright A, McGorry PD, Harris MG, Jorm AF, Pennell K. Development and Evaluation Of A Youth Mental Health Community Awareness Campaign - The Compass Strategy. *BMC Public Health* 2006; 22; 6: 215.
16. Casper ES. The Theory Of Planned Behavior Applied To Continuing Education For Mental Health Professionals. *Psychiatr Serv* 2007; 58(10):1324-9.
17. Watson AC, Kelly BL, Vidalon TM. Examining The Meaning Attached To Mental Illness And Mental Health Services Among Justice System-Involved Youth And Their Parents. *Qual Health Res* 2009; 19(8):1087-99.
18. Moshki M. A Survey of the Effect of Precede-Procede Models with the Combination of Theory Place Health Control In Order To Promote Mental Health Students. (Dissertation) Tehran; Tarbiat Modares University, 2007. [Text in Persian]
19. Moeini B. The Effect Of Stress Management Styles On Mental Health Of Adolescents Based Health Belief Model With Social Marketing Approach In Tehran. (Dissertation) Tehran: Tarbiat Modares University, 2008. [Text in Persian]
20. Erfani Khanghahi M. The Effect Of Mental Health Education on Pre University High School Girls Concerning Their Attitude, Beliefs, and The Knowledge Toward The Subject. (Dissertation) Tehran: Iran University Of Medical Sciences:2002. [Text in Persian]
21. Asgharnejadfarid AA. A Survey of the Effect of Mental Health Education Intervention in Junior High Schools in Tehran. (Dissertation) Tehran; Tarbiat Modares University, 1998. [Text in Persian]
25. Wood AL, Wahl OF. Evaluating the Effectiveness of a Consumer-Provided Mental Health Recovery Education Presentation. *Psychiatr Rehabil J* 2006; 30(1):46-53.
26. Catipović V, Novalić D. [Mental Health of Youths: Effect of Education on Changes In Attitude And Behavior]. *Lijec Vjesn* 2002; 124(1-2):15-9.
27. Hadizadeh M. The Effect of Education about Prevention and Control of Anxiety through Health Belief Model on Boy High School Students' Knowledge and Attitude in Amol-2006. (Dissertation) Tehran; Iran University of Medical Sciences, 2006. [Text in Persian]
28. Kimber B, Sandell R, Bremberg S. Social and Emotional Training In Swedish Schools For The Promotion of Mental Health: An Effectiveness Study of 5 Years of Intervention. *Health Educ Res* 2008; 23(6):931-40.
29. Haghghi J, Mosavi M, Mehrabizadeh Honarmand M, Beshlideh K. As The Effect of Life Skills Training The Mental Health and Self-Esteem of Girl Students In High School. *Educational and Behavioral Science Journal*. University of Shahid



---

Chamran Ahvaz. 2006; 3(1): 61-78.[Text In Persian]

30. Ghortaslu H, A Survey of the Effect Communication Skills Training of the Mental

Health of the Students. (Dissertation) Psychology Faculty of Education and Science University of Tabriz Tabriz; 2006. [Text in Persian]

---

# Survey the Effect of Educational Intervention through the BASNEF Model on Preventive Behaviors According to Mental Health in Girl Adolescents

\*Ebadifard Azar F.(Ph D)<sup>1</sup>- Solhi M.(Ph D)<sup>1</sup>- Roudbari M.(Ph D)<sup>2</sup>- Sadeghi A.(St)<sup>1</sup>

\*Corresponding Address: Faculty of Health, Iran University of Medical Sciences, Tehran, IRAN

E-mail: azadeh\_sadeghi87@ yahoo.com

Received: 13/Sep/2009 Accepted: 28/Oct/2009

---

## Abstract

**Introduction:** This study was conducted in order to considering the importance of early cognition of mental illnesses and the role of health education in mental health promotion in adolescence.

**Objective:** Investigate the effect of educational intervention through BASNEF model on preventive behaviors according to mental health in girl adolescents.

**Materials and Methods:** This was a Quasi- Experimental study which female students of secondary schools were randomly divided in to two groups; intervention and control groups. Multi stage cluster sampling, a valid questionnaire covering demographic variables and items related to BASNEF Model- based was administered to 106 students. The intervention group composed of 11 educational sessions (60 min each) through discussion and lectures. The students were tested by questionnaire that made of different variable based on BASNEF model for one month after education.

**Results:** Following the educational intervention, the mean score of enabling factors was significantly increased in both intervention and control groups ( $p < 0.0001$ ). Also a significant difference was demonstrated in the mean score of attitude and desired behaviors ( $p < 0.0001$ ) ( $p = 0.005$ ) in two groups. No significant difference was demonstrated in the average of subjective norms in intervention and control groups ( $p = 0.896$ ).

**Conclusion:** The findings of current study confirmed the effectiveness of BASNEF Model- based educational intervention on the variables of enabling factors, attitude and healthy behaviors, but it seems that much more time is needed to change subjective norms.

**Key words:** Adolescents/ Mental Health

---

Journal of Guilan University of Medical Sciences, No: 73, Pages: 20-29

---

1. Faculty of Health, Iran University of Medical Sciences, Tehran, IRAN

2. Faculty of Information Technology and Management, Iran University of Medical Sciences, Tehran,